



BOTTLE GOURD

INTRODUCTION:

- In India, it is an important vegetable crop.
- > Stem vegetables and leaves are used as vegetables in green state.
- > The hard shell of bottle gourd is used for various purposes.
- Fruit pulp is a good source of fiber free carbohydrates.
- > It is one of the world's first cultivated plants and is not primarily grown for food but is also used as a container.

1] Sowing time -

Kharif - July to August

For summer (Zaid) - January to February

- **2] Seed rate** 1.5- 2 kg per acre
- **3] Spacing** 2.0 to 3.0 m (row to row) x 1 to 1.5 m (plant to plant).
- 4] Irrigation Regular interval as per requirement
- 5] Application of fertilizers (per acre)

Fertilizers	Per acre		
	Basal	30 DAYS	
FYM	10 tonne / acre	Mycorrhiza powder 100 g	
Urea [46-0-0]	50 Kg	50 Kg (2 split @ 25 kg)	
DAP	40 Kg	20 Kg	
MOP	30 Kg	20 Kg	
ZnSO4	10 Kg		





6] **SPRAY SHEDULE**:

DAYS	GROWTH STAGES	TREATMENT	POTENTIAL DISEASE	POTENTIAL PEST
20 - 25	From Trans Planting to plant establishment	Katra Nano NPK 19-19-19 @ 200 gm per acre + Diafenthiuron 50% @ 2 gm/litre water + Fungus-G 1.5 gm/Litre liters of water	fusarium wilt	white fly, green mosquito
25 - 45	vegetative growth stage	Katra Nano Mono Ammonium Phosphate (12-61-0) @ 200 g/acre + Flamingo (Emamectin Benzoate 3% Thiamethoxam 12% SG) 0.5 to 1 g/Lit of water + Lysorus Miticide @ 80-100 Lit of water+ + Katra Nano Capsule (Plant growth Promoter) @ 1 Caps/Acre	Leaf curl, downy mildew	Whitefly, Green Mosquito, Red Mosquito, Aphid, Thrips
45 - 60	Flowering stage	Katra Nano Mono Potassium Nitrate 00-52-34 @ 200 gm/Acre + Atal (Boron Micronutrient10%) @100 ml/acre + Fipronil 5%SC+ Banalarva (Emamectin Benzoate 5% SG) 4g/10Ltr of water + Katra Nano Capsule (Plant growth Promoter) @ 1 Caps/Acre	Leaf curl, Powdery mildew, Downy mildew	Whitefly, Aphid, Worm thrips, Red worm, Leaf miner
80 -100	fruiting stage	Katra Nano Mono Potassium Phosphate 0-52-34 @ 200 gm/ acre + kargil (Imidacloprid30.5% SC) 2-5 ml /Lit of water + Bell (Fipronil 5% SC) 2-5ml/Lit of water	Cercospora, Powdery mildew, Anthracnose	whitefly, fruit fly, thrips, borer
100- 120	maturity stage	Katra Nano NPK Potassium Nitrate 00-00-50 @200 gm per acre + Prosper@ 2-5 ml/l water + fungicin (Allicin 1.9% sl) @ 100ml/acre	Yellow Vein Mosaic, Downy Mildew, Anthracnose, Fruit Rot, Powdery Mildew	Fruit fly, fruit borer, spider semilooper

Note:- In the information given in the chart, the spray schedule has been given keeping in mind the possible disease and pest outbreak. To know more contact Kisan4U Dr.















White Fly

Aphid

Fruit Fly

Red Mite

Fruit borer











Leaf Minor

Anthracnose

Powdery mildew

Downy Mildew

Yellow Vein Mosaic

9] Yield - 4- 6 tonne per acre

FERTILIZERS